

PRODUCT FAMILY

Concrete
Admixtures

MCT

MC-Admix 32

Admixture for Improving Concrete

MC-Admix 32 is a concrete admixture used to obtain more uniform-quality concrete and reduce water content for a given consistency.

Approved dosage	Specific gravity @ 25°C	Shelf life	Pack sizes
400 ± 100 cm³ / 100 kg cement	1.16 g/cm³	18 months	210 L drums • large-capacity tanks

Description

MC-Admix 32 is a concrete admixture used to obtain more uniform-quality concrete, reduce the water content of concrete for a given consistency, and improve economy for a given strength.

Where to use

- Recommended for concrete where normal setting characteristics are required or desired.
- Improves plain, reinforced, precast, prestressed, lightweight and standard-weight concrete.
- When used with another admixture, each admixture must be dispensed separately into the mix.

MCT TECHNICAL DATA

MC-Admix 32

Admixture for Improving Concrete

Standards / source references

ASTM C-494 Type A · BS 5075 Part 1

Advantages

- Superior finishing characteristics for flatwork and cast surfaces.
- Improved workability.
- Reduced segregation.
- Reduced water requirement for a given workability.
- Superior finished appearance.
- Increased compressive, flexural and bond strength of concrete to steel.
- Reduced permeability (integral waterproofer).

MCT TECHNICAL DATA

MC-Admix 32

Admixture for Improving Concrete

Technical data

Appearance	Clear brown liquid
Specific gravity @ 25°C	1.16 g/cm ³
Chloride content	Nil
Air entrainment	< 1%
pH	7 ± 1
Shelf life	18 months under suitable storage conditions in closed drums or tanks.
Packaging	210 L drums and large-capacity tanks.
Dosage	400 ± 100 cm ³ / 100 kg cement

Dosage / method

MC-Admix 32 may be added directly to the mixing water before it enters the mixer, or separately to freshly mixed concrete. The approved publication dosage is 400 ± 100 cm³ per 100 kg of cement. Determine the optimum dosage by trials using the same materials intended for use.

Cleaning

Clean tools and equipment with water.

MCT TECHNICAL DATA

MC-Admix 32

Admixture for Improving Concrete

Compatibility

Compatible with all types of Portland cement. Compatible with other MC-Admix products; each admixture must be added separately.

Storage / shelf life

18 months under suitable storage conditions in closed drums or tanks.

Safety

Non-toxic and nonflammable according to the approved source. Wash skin contamination with water.

Packaging

210 L drums and large-capacity tanks.

Standards

ASTM C-494 Type A · BS 5075 Part 1

