

PRODUCT FAMILY

Concrete
Admixtures

MCT

MC-Super 41

High Range Water Reducer, Superplasticizer for Concrete & Mortar

MC-Super 41 is a highly effective superplasticizer for the production of free-flowing concrete, based on modified naphthalene sulphonate.

Addition rate	Specific gravity @ 25°C	Shelf life	Chloride content
1000 ± 250 ml / 100 kg cement	1.175-1.180	18 months	Nil

Description

MC-Super 41 is a highly effective superplasticizer for the production of free-flowing concrete, based on modified naphthalene sulphonate.

Where to use

- Improves performance in prestressed, precast and flowing-concrete applications.
- May be used with air-entraining cements and air-entraining admixtures where air-entrained concrete is specified or desired.
- When used with another admixture, each admixture must be dispensed separately into the mix.

MCT TECHNICAL DATA

MC-Super 41

High Range Water Reducer, Superplasticizer for
Concrete & Mortar

Standards / source references

ASTM C-494 Type F

Advantages

- Dramatic reduction in water requirement at equal slump.
- Improved workability at equal water content compared with non-treated reference concrete.
- Rapid strength gain and earlier stripping.
- Earlier reuse of forms for increased production.
- Earlier structural use of concrete.

MCT TECHNICAL DATA

MC-Super 41

High Range Water Reducer, Superplasticizer for
Concrete & Mortar

Technical data

Appearance	Clear brown liquid
Specific gravity @ 25°C	1.175-1.180
Chloride content	Nil
Air entrainment	< 1%
pH	7 ± 1
Shelf life	18 months under suitable storage conditions in closed drums or tanks.
Packaging	210 L drums and large-capacity tanks.
Addition rate	1000 ± 250 ml / 100 kg cement

Dosage / method

MC-Super 41 may be added directly to the mixing water before it enters the mixer, or separately to freshly mixed concrete. Use at 1000 ± 250 ml per 100 kg of cement. Determine the optimum dosage by trials using the same materials intended for use.

Cleaning

Clean tools and equipment with water.

MCT TECHNICAL DATA

MC-Super 41

High Range Water Reducer, Superplasticizer for
Concrete & Mortar

Compatibility

Compatible with all types of Portland cement. Compatible with other MC-Admix products; each admixture must be added separately.

Storage / shelf life

18 months under suitable storage conditions in closed drums or tanks.

Safety

Non-toxic and nonflammable according to the approved source. Wash skin contamination with water.

Packaging

210 L drums and large-capacity tanks.

Standards

ASTM C-494 Type F

